

1.01.00 Tubular heating elements for liquids

Tubular heating elements provide a well-tried and safe technical solution for heating liquids. The many variants of Backer tubular heating elements provide the most popular alternative for liquid heating. We supply the best solution for each application, dependant on the medium to be heated, power and assembly.

>> Type of heating

Direct – heating element inserted in liquid Indirect – heating element separated from liquid

Material >>

Mild steel – Grade D

Stainless steel - AISI 304/EN 1.4301, AISI 316L/EN 1.4404, UNS S31254, UNS N08904, Incoloy 800, Incoloy 825, Ferritic stainless steel material - 1.4510, 1.4512, 1.4521 Copper – C12200

Dimension >>

Ø 6,4 8,5 14 16 18 21 mm

Exempel på applikationer >>

Electrical water heaters Boilers Boiling pans Dishwashers and washing machines Solar heating Heating pump Desinfectors

Assembly >>

Inserted heating element with flange





Inserted heating element with screw plug Heating element with nipple Immersion heater Casted element for contract assembly

>> Connection

Direct connection for installation in equipment M4, M6, flat pin, spot welded cable, Ø 2.5 mm pin Terminal box with/without temperature regulating device

>> Types

One, two alt. three wattage ratings/element Connection at one or two ends According to customer specification Standard range Can be manufactured with UL, VDE approval

Thermal control/quality >>

Integrated thermostat/temperature control Thermostat/temperature control in a protective tube



Example of product design

Head Office: Backer BHV AB, SE-280 10 Sösdala. Phone: +46 451 661 00, fax +46 451 614 37, www.backer.eu